515/15 293891

Member of the

American Association of Nurserymen N. Y. State Nurserymen's Association

L. I. Nurserymen's Association New Jersey Association of Nurserymen

Ik's Nurseries 610 West Montauk Highway, Babylon, T. I., N. Y.

Smithburg-Manalapan Road, RD No. 3 Freehold, N. J. January West of Freehold Of Freehold Miles West of Freehold Telephone, Evenings: FReehold 8.4298

Wholesale Price



FALL-1958

You are always welcome at Bulk's Nurseries. Come to see us and we will be happy to show you our many blocks of fine well grown stock, especially suited for the landscape trade.

Growers of
Choice Nursery Stock
for over 30 years

Bulk's Nurseries

Babylon, L. I., N. Y.

C. (Case) van Abshoven, Nursery Superintendent

Telephone: MOhawk 9-4400

Evenings: MOhawk 9-5728

MOhawk 9-4928

Greehold, New Jersey

Rudolf Etzler, Nursery Superintendent
Telephone, Evenings: FReehold 8-4298

Terms and Conditions of Sale:

The prices published in this list cancel those in all previous lists. They are based on present market conditions and are subject to change without notice.

Prices listed are F.O.B. our Nurseries. Transportation at cost borne by the purchaser.

Quantities 1 to 5 at the each rate; 5 to 25 at the 10 rate; 25 and over at the 100 rate.

All stock when especially selected on the nursery will be sold at prices commensurate with the values of the specimens chosen.

In general, we are unable to do any baling or boxing.

Guarantee: As we have no control over conditions after the plants leave the nursery, we will not replace plants that fail to live or thrive.

Claims: All claims must be made immediately upon receipt of stock.

Terms: Cash with order, or 30 days to parties who have established credit with us.

Balling and burlapping free of charge on evergreens, and also on deciduous stock where B&B is specified; but an additional charge will be made if deciduous stock, not marked B&B, is requested balled and burlapped.

}~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	~~~	·····	~~~	·····	~~~
SCHEDULE	OF	BALLING	CH	IARGE	S
Approximate	Cost	Depending	on	Varieti	es
DECIDUOUS T	REE	S			
$1\frac{1}{4}$ - $1\frac{1}{2}$ " Ca	lipei	•	\$	4.50	
$1\frac{1}{2} \cdot 2^{"}$,,,	•	Ψ	5.75	
$\left\{\begin{array}{c} 1_{2}^{2} - 2 \\ 2 - 2_{2}^{2} \end{array}\right.$,,			8.50	
	,,			0.00	
$2\frac{1}{2}-3''$,,			11.00	
$3-3\frac{1}{2}''$				15.00	
$0\overline{2}$	"			20.00	
$\frac{1}{4} \cdot 4\frac{1}{2}''$	33			28.00	
$4\frac{1}{2}$ - $5^{"}$,,			38.00	
5-6"	,,			48.00	
6-7"	,,			60.00	
	,,				
7-8"				80.00	
FLOWERING S	SHRU	JBS			
2-3'				.65	
3-4'				.75	
4-5'				1.00	
5-6'					
		0.50	4.	1.50	
6-8'				3.50	
8-10'		5.00	to	6.00	
	~~~		~~~	<b>~~~~</b>	<b>~~~</b>

The cost of platforms is in addition to the above charges; but will be rebated if they are returned to our nurseries.

In addition to this list we have a Retail Catalogue (with regular discount to the trade) which we will gladly mail upon request.

2	BULK'S	S NURSERI	ES	
ABELIA 8	grandiflora	Each	Each per 10	Each per 100
2-3'	,	3.00	2.75	2.50
ABIES do	uglasi (Dou See Pseudo	glas Fir) otsuga — P	age 16	
ACER filic	ifolium (Fe	rnleaf Japai	nese Maple	e)
$2\frac{1}{2}$ - $3'$		10.00		
$3-3\frac{1}{2}'$		14.00		
A. palmatu	ım atropurp	urea (Jap 1	Red Maple	<del>)</del>
$1\frac{1}{2}$ -2'	Grafted	6.00	5.50	5.00
$2$ - $2\frac{1}{2}$ '	,,	7.00	6.00	5.50
$2\frac{1}{2}$ - $3'$	,,	10.00	9.00	8.00
3-4'	,,	14.00	13.25	12.00
4-5'	,,	17.00		
A. platano	ides (Norw	ay Maple)		
$1\frac{1}{2}$ - $1\frac{3}{4}''$	Cal.	9.00	8.00	7.00
$1\frac{3}{4}$ -2"	"	11.00	10.00	9.00
$2-2\frac{1}{4}''$	,,	14.50	13.00	11.00
$2\frac{1}{4}$ - $2\frac{1}{2}''$	,,	16.50	15.00	13.00
$2\frac{1}{2}$ - $3^{\prime\prime}$	,,	20.50	18.50	16.50
$3  ext{-} 3  extstyle{\frac{1}{2}}^{\prime\prime}$	,,	27.00	24.50	22.50
$3\frac{1}{2}$ - $4^{\prime\prime}$	. ,,	33.00	30.00	
$4-5^{\prime\prime}$	,,	40.00		
	des crimson		t Pat. No.	735)
	rimson King			
$1\frac{1}{4}$ - $1\frac{1}{2}$ "	Cal.	12.00	11.00	
$1\frac{1}{2}$ - $1\frac{3}{4}''$	,,	15.00	14.00	
$1\frac{3}{4}-2''$	,,	18.00	16.00	
$2-2\frac{1}{4}''$	,,	22.00	19.75	17.50
$2\frac{1}{4}$ - $2\frac{1}{2}''$	,,	26.00	23.50	21.50
$2\frac{1}{2}$ -3"		31.00	28.00	
	des schwed		dler Map	le)
$\begin{array}{c} 2 \text{-} 2\frac{1}{4} '' \\ 2\frac{1}{4} \text{-} 2\frac{1}{2} '' \end{array}$	Cal.	$15.50 \\ 17.50$		
A. rubrum	(Red or Sv	vamp Maple	)	
$2\frac{1}{4}$ - $2\frac{1}{2}''$ $2\frac{1}{2}$ - $3''$	"	17.50 $22.00$		
	ım (Sugar N			
$1rac{1}{2}$ - $1rac{3}{4}^{\prime\prime}$	Cal.	10.50	9.50	

$1\frac{1}{2}$ - $1\frac{3}{4}''$	Cal.	10.50	9.50	
$1\frac{3}{4}$ -2"	"	13.00	12.00	11.00
$2$ - $2\frac{1}{4}$ "	"	16.75	15.50	14.50
21-21"	,,	18 50	17.00	

BULKSIN	ORSERI	170	0
	Each	Each per 10	Each per 100
AMELANCHIER canaden			per 100
*3-4′	1.75	1.50	
4-5'	2.00	1.75	
APPLES in varieties			
5 to 6-yr. 6-8'	¢2 50	to \$ 7.00	anah
		to \$ 7.00 to \$20.00	
		ιο φ20.00	eacn
AZALEA amoena (purp		0.75	0.50
*15-18"	3.00	$\frac{2.75}{2.75}$	2.50
$1\frac{1}{2}-2'$	4.00	$\frac{3.75}{5.00}$	3.50
$2-2\frac{1}{2}$ , $2\frac{1}{2}-3$ ,	$5.50 \\ 7.50$	5.00	4.75
A. kaempferi (Torch Aza			
$1\frac{1}{2}-2'$	4.00		
$2-2\frac{1}{2}'$	5.50		
$2\frac{1}{2}-3'$	7.50		
3-4'	9.75		
A. kaempferi hybrid Fed	ora (Sa	lmon-Rose)	
$1\frac{1}{2}$ -2'	4.00	3.75	3.50
$2$ - $2\frac{1}{2}$ '	5.50	5.25	
$2rac{1}{2}$ - $3'$	7.00		
A. Firefly (scarlet)			
15-18"	3.25	2.75	
$1\frac{1}{2}$ -2'	4.00	3.75	3.50
$2-2\frac{1}{2}'$	5.75	5.50	
$2\frac{1}{2}$ -3'	7.50		
A. hinocrimson (Bright B	(ted)		
15-18"	3.75	3.50	,
$1\frac{1}{2}$ -2'	4.75	4.50	
A. Hinodegiri (red)			
15-18"	3.50	3.25	
$1\frac{1}{2}$ -2'	4.50	4.25	
A. hinomayo (Shell Pink)			
15-18"	3.50	3.25	3.00
18-24"	4.50	4.25	0.00
$2-2\frac{1}{2}$	6.00	5.25	
$2\frac{1}{2}-3'$	7.50	0.20	
A. ledifolia alba (White)			
15-18"	3.50	3.25	3.00
18-24"	$\frac{3.50}{4.50}$	$\frac{3.25}{4.25}$	$\frac{3.00}{4.00}$
$2-2\frac{1}{2}$	5.75	5.50	5.00
*—Also in New Jersey	5.75	5.50	5.00
**—In New Jersey Only			

	Each	Each per 10	Each per 100
AZALEA lilacina (I	Lilac)		
$1\frac{1}{2}$ -2'	4.25	4.00	3.75
$2$ - $2\frac{1}{2}$ '	5.50	5.00	4.50
$2\frac{1}{2}$ -3'	7.50		
A. pontica in varieti		ed and or	ange)
18-24''	4.25	3.75	
$2$ - $2\frac{1}{2}$ '	5.25	4.75	
$2\frac{1}{2}$ -3'	6.50	6.00	
3-4'	8.50		
4-5'	11.00		
A. poukhanensis (K	orean Azales	ı)	
15-18′′	3.50	3.25	
$1\frac{1}{2}-2'$	4.25	4.00	
$2-2\frac{1}{2}'$	5.50	5.00	
A. schlippenbachi (S	oft Pink)		
15-18"	3.50	3.25	
$1\frac{1}{2}$ -2'	4.25	4.00	
$2-2\frac{1}{2}'$	5.50	5.00	
$2\frac{1}{2}$ -3'	7.50		
BERBERIS Julianae	(Wintergreen	Barberry	-В&В
15-18′′	2.50	2.25	
$1\frac{1}{2}-2'$	<b>3.5</b> 0	3.25	2.90
$2-2\frac{1}{2}'$	4.50	4.00	3.50
$2\frac{1}{2}$ -3'	5 50	4.50	4.00
$3-3\frac{1}{2}'$	7.50	6.75	
B. thunbergi (Jap. 1	Barber _T y)		
15-18"	.45	.40	.35
$*1\frac{1}{2}-2'$	.55	.50	.45
$^*2-2\frac{1}{2}'$	.70.	.60	.50
$2\frac{1}{2}$ -3'	.70	.60	
B. thunbergi atropur			erry)
15-18"	.60	.50	.45
$*1\frac{1}{2}-2'$	.70	.60	.55
$2-2\frac{1}{2}'$	.75	.65	.60
$2\frac{1}{2}$ -3'	.85	.80	
BETULA alba (Euro	pean White	Birch) 1	В&В
4-5'	4 00	3.50	
*5-6′	5.75	5.00	4.25
*6-8′	7.00	6.25	5.50
*8-10′	9.00	8.00	7.00
10-12'	12.50	11.25	

DULK 5	NURSERIE	79	
	Each	Each per 10	Each per 100
BETULA laciniata (Cut	leaf Birch)	— B&B	per roc
6-8'	6.00		
8-10'	8.00		
BIOTA — See Thuja			
BUDDLEIA (Butterfly Dubonnet, Wine - Ro		Charmin	g Pink
Dubonnet, Wine - Re	1.00	.85	
CALLICARPA purpurea	(Chinese	Beautybe	erry)
2-3'	1.00	.90	
3-4'	1.50	1.25	
4-5'	2.00	1.75	
CALYCANTHOS floridus	s (Sweet S	hrub)	
2-3'	1.00	.80	.70
3-4'	1.20	1.00	.90
CELTIS occidentalis (H	-		
$1\frac{1}{2}$ -2" Cal.	10.00		
$2-2\frac{1}{2}''$ " $2\frac{1}{2}-3''$ "	16.00		
22-0	19.00		
CEPHALANTHUS occide		tton Busl	a)
3-4'	1.00		
4-5'	1.25		
CERCIDIPHYLLUM japo			ee)
3-4'	3.25	2.75	
*4-5′	4.25	3.75	
5-6'	5.75	5.00	
CERCIS canadensis (Red		udas Tree	e)
3-4'	1.75	0.00	
4-5' 5-6'	2.25	2.00	
	3.00		
CHAMAECYPARIS cyan (Vivid Blue Foliag			
$2\frac{1}{2}$ -3'	5.25		
C. obtusa (Hinoki Cypre	ess)		
$2-2\frac{1}{2}'$	3.25	3.00	
$2\frac{1}{2}$ -3'	3.75	3.50	
$3-3\frac{1}{2}'$	4.25		
C. obtusa cripsi (Golden		ypress)	
$1\frac{1}{2}$ -2'	3.75	3.50	3.25
$2-2\frac{1}{2}'$	4.75	4.25	4.00
$2\frac{1}{2}$ -3'	6.00		

6 BUL	K'S NURSERIE	D .	
	Each	Each per 10	Each per 100
CHAMAECYPARIS			2
(Slender Hin	oki Cypress)		
$2-2\frac{1}{2}'$	3.75		
$2\frac{1}{2}$ -3'	5.00		
$3\frac{1}{2}$ -4'	8.00		
4-5'	11.00		
C. obtusa gracilis c	_		
(Compact Hi	noki Cypress)		
15-18"	4.25		
$1\frac{1}{2}$ -2'	5.75		
$2$ - $2\frac{1}{2}$ '	7.00		
C. obtusa gracilis n	ana (Dwarf Hin	oki Cypr	ess)
15-18"	4.75		
$1\frac{1}{2}$ -2'	6.00		
6-7'	60.00		
C. plumosa (Plum	e Cypress)		
$1\frac{1}{2}$ -2'	2.25	2.00	
$2-2\frac{1}{2}'$	2.75	2.50	2.15
$2\frac{1}{2}$ -3'	3.25	3.00	2.70
3-4'	3.85	3.50	3.20
4-5'	5.25	4.75	4.25
5-6'	7.50	7.00	
C. pisifera aurea			
(Golden Sawara	a Cypress)		
$*2$ - $2\frac{1}{2}$ '	2.75	2.50	2.25
$2\frac{1}{2}$ -3'	3.25	3.00	2.75
3-4'	4.00	3.75	3.50
4-5'	6.00	5.50	
5-6'	8.00	7.25	
6-7'	11.00	10.00	
7-8'	14.00		
8-10′	18.00		
C. plumosa aurea	(Gold Dust)		
15-18"	1.75	1.50	
$1\frac{1}{2}$ -2'	2.25	2.00	1.75
$2-2\frac{1}{2}'$	3.00	2.75	2.50
$2\frac{1}{2}$ -3'	3.25	3.00	2.70
$3-3\frac{1}{2}'$	3.75	3.50	3.25
$3\frac{1}{2}$ -4'	4.75	4.25	
$4-4\frac{1}{2}'$	7.00	6.25 -	

^{*--}Also in New Jersey
**-In New Jersey Only

	F	Each	Each
CHAMAECYPARIS 1	Each filifera (Thr	per 10 ead Cypre	
$3-3\frac{1}{2}'$	3.75	3.50	
$3\frac{1}{2}-4'$	4.75	4.25	
4-5'	6.50	5.75	
5-6'	9.50	8.50	
C. squarrosa (Moss	Cypress)		
$1\frac{1}{2}$ -2'	2.25	2.00	
$*2-2\frac{1}{2}'$	2.75	2.50	2.15
$2\frac{1}{2}$ -3'	3.25	3.00	2.70
$3-3\frac{1}{2}'$	3.75	3.50	3.25
$3\frac{1}{2}$ -4'	5.00		
CLETHRA alnifolia n	osea (Pink S	Summer S	weet)
(New)			
2-3'	2.25	2.00	
3-4'	3.50	3.25	
CORNUS alba elegar	ntissima		
	ariegated fol	_	
2-3'	1.25	1.00	
3-4'	1.50	1.25	
C. amomum (Silky D	ogwood)		
4-5'	1.25	1.10	
C. florida (White Dog	gwood) — B	&B	
4-5'	5.00	4.50	
5-6'	7.00	6.00	
6-7'	9.50	8.50	
7-8'	11.50	10.50	
8-10'	15.00		
C. flor. rubra — B&l	В		
3-4'	6.00	5.50	
4-5'	7.25	6.50	5.75
5-6'	10.00	9.00	8.00
6-7'	15.50	14.00	13.00
7-8'	20.00	18.00	
C. mas B&B			
5-6' Heavy	7.50		
6-8' "	9.50		
C. sanguinea (Blood T	wig Dogwoo	d)	
2-3'	.80	.70	
3-4'	1.00	.90	
4.51	1.05	4 40	

1.25

1.10

4-5'

	Each	Each per 10	Each per 100
CORNUS stolonifera lutea	(Yellov	w Twig D	ogwood)
3-4'	1.00		
COTONEASTER praecox			
Container Grown -	— Неаvy 2.50	2.25	ct
15-18"			2.50
$1\frac{1}{2}$ -2'	$3.00 \\ 3.75$	$2.75 \\ 3.25$	2.30
$2-2\frac{1}{2}'$	5.75	5.25	
C. divaricata — B&B	3.75	3.25	
2-3'	2.25	2.00	1.75
*3-4'	3.00	2.75	2.50
4-5'	3.75	3.50	3.25
			0.20
C. horizontalis (Rock Cot Container Grown -			ct
15-18"	2.50	2.25	
$1\frac{1}{2}$ -2'	2.75	2.50	2.25
$2 - 2\frac{1}{2}'$	3.75	3.25	
C. franchetti — B&B			
3-4'	2.75	2.50	
*4-5	3.50	3.25	3.00
5-6'	4.50	4.00	3.50
6-7'	5.75		
CRYPTOMERIA jap. Lobi	bi		
5-6'	9.50		
CYDONIA japonica			
$2 - 2\frac{1}{2}'$	1.50	1.25	
$2\frac{1}{2}$ - $3'$	1.75	1.50	
DAPHNE mezereum (Feb	ruary Da	aphne)	В&В
$1\frac{1}{2}$ -2'	3.25	3.00	
$2$ - $2\frac{1}{2}$ '	4.25	3.75	
DEUTZIA crenata P. of 1	R. and c	renata ro	sea
3-4'	.80	.70	
4-5'	1.00	.90	
5-6'	1.35	1.10	
6-7'	2.00		
D. gracilis (Slender Deutz	ia)		
*15-18"	.75	.65	
$1\frac{1}{2}$ -2'	.90	.80	
ENKIANTHUS (Red Vei	n Enkiar	thus) —	В&В
$2-2\frac{1}{2}'$	3.00	2.75	
$2\frac{1}{2}$ -3'	4.00	3.50	
3-4'	5.00	4.50	4.00
4-5'	6.50	6.00	

Belling	HEREITON	CAIL	9
ELIONIVIMONIC	Each	Each per 10	Each per 100
EUONYMOUS alatus	4	1.00	
$2-2\frac{1}{2}'$	1.75	1.60	
$2\frac{1}{2}$ -3'	2.25	2.00	
E. vegatus — B&B			
15-18"	1.75	1.50	1.25
$1\frac{1}{2}$ -2'	2.00	1.75	1.50
$2$ - $2\frac{1}{2}$ '	2.50	2.25	
EXOCHORDA grandiflor	ra (Pearlb	ush)	
4-5'	1.25	1.00	
5-6'	1.75	1.50	
FORSYTHIA fortunei			
3-4'	1.00	.90	
4-5'	1.10	1.00	
F. Lynwood Gold			
3-4'	1.20	1.00	
*4-5'	1.40	1.15	
5-6'	1.70	1.50	
F. spectablis			
4-5'	1.10	1.00	
5-6'	1.60	1.40	
F. Spring Glory			
*4-5'	1.10	1.00	
5-6'	1.60	1.40	
GLEDITSIA triacanthos (Thornless Honey			
8-10' $1\frac{1}{2}$ -2" Cal.		8.00	
$10-12'$ $2-2\frac{1}{4}''$ "	12.00		
HALESIA tetraptera (Si	lver Bell)		
5-6'	3.00		
6-7'	6.00	5.50	
7-8'	8.00	7.00	
HEDERA helix (English	Ivy)		
$2\frac{1}{4}$ " Pots	.35	.30	.25
HIBISCUS Jeanne D'Arc	1.25	1.00	
II Lody Stordon			
H. Lady Stanley 3-4'	1.05	1.00	
3-4' 4-5'	1.25	1.00	
4-0	1.75		

WIDIGGUG THE CAME (W	Each	Each per 10 (New)	Each per 100
HIBISCUS syriacus (W (Very large d	ooubriage <i>)</i> leen pink		
*2-3'	1.25	1.00	
2-3 3-4'	1.75	1.50	
4-5'	2.25	2.00	
HYDRANGEA pee gee			
2-3'	.90	.80	.70
$\frac{2-3}{3-4'}$	1.10	1.00	.85
4-5'	1.50	1.25	1.00
HYPERICUM aureum			
$2-2\frac{1}{2}$	.70	.60	.50
ILEX bullata (Japanese	Boxleaf I	Holly)	
*15-18′′	3.75	3.50	3.00
18-24′′	4.75	4.25	3.75
$2$ - $2\frac{1}{2}$ '	6.25	5.75	5.25
I. crenata (Jap. Holly)			
*1½-2′	3.75	3.50	
$2-2\frac{1}{2}$	4.75	4.25	4.00
$\frac{-2}{2}$	5.75	5.25	5.00
$\overline{3}$ - $3\frac{1}{2}$ '	7.50	6.75	6.25
$3\frac{1}{2}$ -4'	8.50	7.75	7.25
4-5'	11.00	10.00	9.00
5-6'	14.50	13.50	12.50
6-7	18.50		
I. crenata (Spreading	Type)		
15-18"	3.50	3.25	3.00
$18-24^{\prime\prime}$	4.50	4.25	3.90
$2-2\frac{1}{2}$	5.50	5.25	5.00
$2\frac{1}{2}$ -3'	7.00	6.50	6.00
$3-3\frac{1}{2}'$	9.50	8.75	8.00
I. crenata compacta			
15-18" Spread	4.25	4.00	3.75
$1\frac{1}{2}-2'$ "	5.00	4.50	
$2-2\frac{1}{2}$	6.50		
I. rotundifolia (Round			
$*1\frac{1}{2}-2'$	3.75	3.50	
$2-2\frac{1}{2}'$	5.00		
$2\frac{1}{2}$ -3'	6.00	5.50	-
$3-3\frac{1}{2}'$	7.75		
*-Also in New Jersey	/		

^{*—}Also in New Jersey
**—In New Jersey Only

Bellip	TTOTASETA	LEAS	11
HEV globre (Inkhaum)	Each	Each per 10	Each per 100
ILEX glabra (Inkberry) 15-18"		0.0	2.00
$1\frac{1}{2}$ -2'	2.50	2.25	2.00
$\frac{1}{2}$ -2 $\frac{1}{2}$ '	3.00	2.75	2.50
$2\frac{1}{2}$ -3'	3.75	3.50	3.25
$\frac{2_{2}}{3}$ $\frac{3_{1}}{2}$	$5.00 \\ 6.50$	4.50	4.00
$3\frac{1}{2}-4'$	7.75	5.75	
I. opaca (American Ho	lly)		
$2-2\frac{1}{2}'$	4.50	4.00	3.75
$2\frac{1}{2}$ -3'	5.00	4.50	4.25
3-4'	7.50	7.00	6.50
4-5'	12.00	11.00	10.00
4-5' Heavy	15.00		
5-6' "	18.00		
I. opaca brilliantissima			
(One of the bes	t named	varieties,	
Heavy fruiting, I $2-2\frac{1}{2}$	Dark gree 5.00		
$2\frac{1}{2}$ $2\frac{1}{2}$ $3'$	5.00 $5.75$	$4.50 \\ 5.25$	
$\frac{2}{3}$ -4'	8.25	5.25 7.75	7.95
4-5'	13.00	12.00	$7.25 \\ 11.00$
I. verticillata (Winterbe			11.00
2-3'	1.25	1.00	.85
3-4'	1.35	1.15	1.00
4-5'	1.75	1.50	1.25
5-6'	2.25	2.00	
JUNIPERUS chinensis	pfitzerian	а	
(Pfitzer Juniper)			
$*1\frac{1}{2}-2'$	3.50		
$2-2\frac{1}{2}$	4.25	4.00	
$2\frac{1}{2}$ -3'	5.75	5.25	
$3-3\frac{1}{2}'$	7.50	6.75	
$3\frac{1}{2}-4'$	9.50	8.50	
$4-4\frac{1}{2}'$	12.50		
J. communis hibernica (I			
$1\frac{1}{2}-2'$	2.25	2.00	
$2-2\frac{1}{2}$	3.00	2.75	
. stricta			
$1\frac{1}{2}-2'$	2.75	2.50	2.25
$2-2\frac{1}{2}'$	3.50	3.25	3.00
$2\frac{1}{2}$ -3'	4.25	4.00	3.75
$3-3\frac{1}{2}'$	5.00		

12 BULK'S NURSERIES BULK'S NURSERIES 13

# ANNOUNCING THE OPENING OF OUR NEW BRANCH NURSERIES AT

## SMITHBURG - MANALAPAN RD. R. D. 3, FREEHOLD, NEW JERSEY

Three years ago we started planting on our 375-acre tract at Freehold and are pleased to announce that we will soon have available a complete line of Quality Stock for the wholesale and landscape trade. — Some Stock is included in this list — more will be available soon.

YOU ARE CORDIALLY INVITED TO VISIT US
OR WRITE FOR QUOTATIONS

CONVENIENT TO THE METROPOLITAN AREA

#### FROM NEW JERSEY TURNPIKE:

Exit #8 towards Freehold (Route #33), turn right at County Route #527.

#### FROM FREEHOLD:

West Main Street to Blinker at Smithburg, turn right on County Route #527.

JUNIPERUS glauc	Each ca <b>hetzi</b>	Each per 10	Each per 100	LABURNUM vossi	(Golden Chain)	- B&B  Each Each per 10 per 100
	ading Juniper)			$1\frac{1}{4}$ - $1\frac{1}{2}$ " Cal.	12.00	
15-18"	2.75	2.50		LARIX leptolepis	(Japanese Larcl	h)
$*1\frac{1}{2}-2'$	3.50	3.25	3.00	(The Best of	the Larches)	
$*2-2\frac{1}{2}'$	4.25	4.00	3.75	4-5′	6.00	5.50
$2\frac{1}{2}-3'$	5.25	5.00	4.75	5-6′	7.50	
3-31/	7.25	6.75		6-7'	9.00	
KOELREUTERIA	paniculata (Gold	den - Rain	- Tree)	LESPEDEZA form (Purple Bus)		
4-5'	5.00			(Good D	eep Colored St	rain)
5-6'	6.50			Heavy	1.25	1.00



	Each	Each per 10	Each per 100
LEUCOTHOE catesbaei	(Drooping		•
15-18"	3.00	2.75	2.50
$1\frac{1}{2}$ -2'	3.50	3.25	3.00
$\frac{1}{2}$ $\frac{2}{2}$	4.00	3.75	
LIGUSTRUM ibota regel	lianum (Re	gel's Pri	vet)
*2-3'	.70	.60	.50
*3-4′	1.25	1.00	.85
L. ovalifolium (Californi	a Privet)		0.0
12-18"		.11	.09
*2-3′ Heavy		.24	.22
*3-4′ "		.30	.28
4-5' "		.45	.40
LIQUIDAMBER styraci			B&B
$2-2\frac{1}{4}''$ Cal.	21.00	19.50	
$2\bar{4}$ - $2\bar{2}$	25.00	23.00	
$2\frac{1}{2}$ -3" "	33.00	30.00	
$3-3\frac{1}{2}''$ "	41.00	37.00	
$3\frac{1}{2}$ -4"" "	45.00		
LONICERA grandiflora		-	
4-5'	1.10	1.00	.90
5-6'	1.35	1.10	
6-8'	2.25	2.00	1.75
MAGNOLIA soulangeana			
2-3'	4.25	3.85	3.50
3-4'	5.50	5.00	
4-5'	7.00	6.25	
5-6'	9.50		
6-7'	14.00		
7-8′	18.00		
M. soulangeana nigra an			
2-3'	4.75	4.25	
3-4'	6.75	6.25	
5-6'	12.00		
6-7'	15.50		
		B&B	
$2\frac{1}{2}$ -3' Heavy	8.00	7.00	
3-4' "	10.00	9.00	8.00
4-5' "	13.00		
MALUS almey and arno			Crab)
6-8' Heavy B. R.	7.50	6.50	
0-0 D&D		9.50	
8-10' " B. R.	9.75	8.75	
8-10' '' B&B	13.50	12.50	

BULKS	ORSERI	ES	10
	E .1	Each	Each
MALUS eleyi, hopa (Flo	Each wering C	per 10 (rab)	per 100
6-8' Heavy	6.00	5.00	
6-8' B&B Heavy		8.00	
8-10' Heavy	8.00	7.00	
8-10' B&B Heavy			
		10.50	
M. pink weeping — B&			
8-10'	17.00		
NYSSA sylvatica Pepper Root Pruned		B&B	
6-8'	14.00		
8-10'	17.50		
OXYDENDRUM arboreur	n — B&I	3	
3-4' Heavy	4.75	4.50	4.25
4-5' "	7.00	6.00	5.50
5-6' "	10.00	9.00	8.50
PHILADELPHUS Mt. BI	anc (Moc	k Orange)	
3-4'	.90	.80	
4-5'	1.00	.90	
P. Avalanche (double i	mproved	type)	
3-4'	.90	.80	
4-5'	1.00	.90	
5-6'	1.35	1.10	
6-8'	2.25	2.00	
PHYSOCARPUS opulifo	lius (Nir	ne Bark)	
4-5'	1.00	.90	.80
5-6'	1.35	1.10	
6-8'	2.25	2.00	1.75
PICEA excelsa (Norway	Spruce)		
$2-2\frac{1}{2}$	2.50		
$2\frac{1}{2}-3'$	3.25		
$\frac{1}{3} - 3\frac{1}{2}'$	4.00		
$3\frac{1}{2}$ -4'	4.50	4.25	
4-5'	5.50	5.00	
PIERIS japonica (Andro	međa)		
15-18"	3.75	3.50	3.25
$1\frac{1}{2}$ -2'	4.50	4.25	4.00
$2-2\frac{1}{2}$	6.25	5.75	5.25
$2\frac{1}{2}$ -3'	8.00	7.25	
	aca Pad	Dina)	
PINUS densiflora (Japan $2\frac{1}{2}$ -3' Heavy	5.00	I IIIC/	
$3-3\frac{1}{2}'$ "	7.00		
$3\frac{1}{2}$ -4' "	9.00		
2 1	40.00		

12.00

4-5'

10	BUL	Machon Car	LES	
		Each	Each per 10	Each per 100
PINUS str	robus (W	hite Pine)	10.00	
4-5'	, , ,	6.75		
5-6'		8.00		
6-7'		11.00		
7-8'		14.50		
	/ T			
		Black Pine)	4.25	4.00
_	Heavy	$4.50 \\ 6.00$	$\frac{4.25}{5.75}$	5.50
$*2\frac{1}{2}-3'$	,,	8.00	$\begin{array}{c} 5.75 \\ 7.50 \end{array}$	0.00
$3-3\frac{1}{2}'$	,,			
$3\frac{1}{2}$ -4'		10.00	9.25	
		olia (Sycamor	e)	
	ndon Pla	ne) 9.50	8.50	7.25
$1\frac{1}{2}$ - $1\frac{3}{4}''$	Cal.	$\frac{9.50}{12.00}$	11.00	10.00
$1\frac{3}{4}-2''$	,,			13.00
$2-2\frac{1}{4}''$	,,	15.00	14.00	15.00
$2\frac{1}{4}$ - $2\frac{1}{2}''$	,,	18.00	16.50	
$2\frac{1}{2}$ - $2\frac{3}{4}$ "	,,	22.00	20.00	
$2\frac{3}{4}$ -3"	,,	25.50	23.50	
$3-3\frac{1}{2}''$	"	30.00	28.00	
$3\frac{1}{2}$ -4"		40.00		
4-5''	"	55.00		
POPULUS	nigra ita	lica (Lombard	y Poplar)	
6-8'		1.75	1.50	
*8-10′		2.25	2.00	1.75
10-12'		2.75	2.50	2.25
12 - 14'		4.00	3.75	
PRUNUS 1	Kwansan	(Jap. Floweria	ng Cherry	)
6-8'		8.50		
8-10'	Heavy	12.50		
P subhirte	ella nendi	ıla (Japanese	Weening	Crah)
		B&B 10.00	vecping	Ciab,
		" 15.00 to	2.00	
	SUGA do	uglasi (Douglas	Fir)	
3-4'		5.75	5.25	
4-5'		7.25	6.75	6.25
5-6'		9.50	8.75	
6-8'	-	12.50		
RHODODE	ENDRON	maximum		
	_	(hododendron		
$2-2\frac{1}{2}'$ ]		4.25		
$2\frac{1}{2}$ -3'	"	5.50		
3-4'	"	7.50		

*—Also in New Jersey **—In New Jersey Only

20Hi b	TO AUDITO	LALID .	11
	E l.	Each	Each
RHODODENDRON Hybr	Each	per 10	per 100
Rose-Lilac, Caracta	cus, Crin	nson, Cata	wbiense
Grandiflora, Lilac; I	Or. H. C.	Dresselhuy	s, Crim-
son; E. S. Rand, R	ed; Ignat	ius Sargen	t, Rosy-
Red; English Roseu			4.00
$15-18''$ $1\frac{1}{2}-2'$	5.00	4.50	4.00
$\frac{1}{2}$ $\frac{2}{2}$	6.50	6.00	5.50
$2\frac{1}{2}$ $2\frac{1}{2}$ $3'$	$8.50 \\ 11.50$	$8.00 \\ 10.50$	7.50
$\frac{2}{3}$ - $\frac{3}{2}$ '	15.00	10.50	9.75
-			•
RHUS cotinus (Smoke T 3-4'	1.75	1.50	
4-5'	$\frac{1.75}{2.25}$		
5-6'	3.00	$\frac{2.00}{2.75}$	
ROSA hugonis (Golden 3-4'	1.75	1.50	
	SES	1.00	
2-Year	.95	.75	
HYBRID TEA	.55	.10	
Condessa de Sasta	go — bio	color	
Eclipse — reddisl	n gold		
Ena Harkness — o			
Kaiser in Auguste Konigan Carola —	Viktori	a — whi	te
Sister Therese —	vellow		
FLORIBUNDA	,		
Improved Lafayett	e — rec	ł	
CLIMBING ROSES			
Blaze — red			
Paul Scarlet — rec			
New Dawn — pir			
SALIX alba vit. (Golder			
6-8'	3.00	2.75	
8-10′	5.00	4.50	
10-12'	6.50		
SALIX babylonica (Weep			
6-8'	2.25	2.00	0.05
*8-10′	2.75	2.50	2.25
*8-10' 1½-1¾" Cal.	4.75	4.25	4.00
10-12 14-2	6.00	5.50	5.00
$10-12'$ $2-2\frac{1}{2}''$ "	8.00	7.25	
10-12 22-0	12.00	10.75	
S. purpurea nana (Dwarf			~~
2-3'	1.00	.90	.75
3-4' 4-5'	1.25	1.15	1.00
4-9	1.50	1.25	1.10

18 BULK S	NURSERIE	·	
	Each	Each per 10	Each per 100
SARCOCCA Hookerian	a (humilis)		andsome
ground cover f	or partly sl	naded s	ituations
6-8′′	1.25	1.00	
SOPHORA japonica (F	agoda Tree)	— B&	В
8-10' $2-2\frac{1}{2}$ " Cal.	20.00		
SPIREA Anthony Water	erer		
$1\frac{1}{2}$ -2'	.85	.75	
$2$ - $2\frac{1}{2}$ '	1.00	.85	
3-4'	1.25	1.10	
S. van Houttei (Bridal	Wreath)		
2-3'	.90	.80	
3-4'	1.10	.90	
4-5'	1.30		
SYMPHORICARPOS ra	acemosus (Si	nowberr	y)
2-3'	.70	.60	
3-4'	.85	.70	
4-5'	1.10	.90	
S. vulgaris (Coralberry	)		
2-3'	.70	.60	
3-4'	.85	.70	
4-5'	1.10	.90	
SYRINGA persica (Per	rsian Lilac)		
$2\frac{1}{2}$ -3'	2.00	1.75	
3-4'	2.50	2.25	
4-5'	3.25		
S. vulgaris (Common 1	Lilac)		
2-3' Heavy	2.00	1.75	
3-4' ''	2.50	2.25	
4-5'	3.50		
S. (French Hybrid Li	lac) (in vai	rieties)	B&B
*2-3′ Heavy	3.00	2.75	2.50
3-4' ''	3.75	.350	3.25
4-5' "	4.75		
TAMARIX africana			
2-3'	1.00	.90	

### THE YEW

The quality of Bulk's Taxus is widely known. Our prices represent excellent values.

	Each	Each per 10	Each per 100
TAXUS baccata rep	andens	·	
(Spreading E	nglish Yew)		
*15-18"	5.00	4.75	4.50
$1\frac{1}{2}$ -2'	6.25	5.75	5.50
$2$ - $2\frac{1}{2}$ '	8.25	8.00	7.50
$2\frac{1}{2}$ -3'	10.50		
T. cuspidata (Sprea	ding Jap. Ye	ew)	
*15-18"	3.75	3.50	3.25
$*1\frac{1}{2}$ -2'	4.75	4.50	4.15
$2 - 2\frac{1}{2}'$	6.00	5.75	5.25
$2\frac{1}{2}$ -3'	8.50	8.00	
$3 - 3\frac{1}{2}'$	11.50		
$3\frac{1}{2}$ -4'	14.50		
T. cusp. bulki (Bull	c's Yew). —	- (Same	habit of
growth as Taxus	s cuspidata, k	out with e	xcellent
very dark foliag	e, a choice p	lant.)	
*15-18′′	4.00	3.75	3.50
$1\frac{1}{2}$ -2'	5.00	4.75	4.25
$2$ - $2\frac{1}{2}$ '	6.25	6.00	5.75
T. cuspidata capitata	(Upright Ja	p. Yew)	
$2$ - $2\frac{1}{2}$ '	6.00		
$2\frac{1}{2}$ -3'	7.00	6.50	
$3$ - $3\frac{1}{2}$ '	8.75	8.25	
$3\frac{1}{2}$ -4'	10.75	10.00	
$3\frac{1}{2}$ -4' Heavy	13.00	12.00	
$4-4\frac{1}{2}'$	13.50	12.50	
$4-4\frac{1}{2}'$ Heavy	16.00	15.00	
$4\frac{1}{2}$ -5'	16.00	15.00	
$4\frac{1}{2}$ -5' Heavy	20.00	19.00	
$5-5\frac{1}{2}'$ Reg.	21.00		
$5\frac{1}{2}$ -6' Heavy	27.00		
6-7' Reg.	30.00		
6-7′ Heavy	34.50		
7-8' Reg.	36.00		
7-8' Heavy	39.50	36.00	
8-9' "	45.00	41.00	
9-10' "	54.00	49.00	
12-14' ''	100.00		
14-16' ''	130.00		
TAXUS capitata colu	mnaris (Colu	ımnar Yev	v)
$3\frac{1}{2}-4'$	10.00	9.00	
$4-4\frac{1}{2}'$	13.50	12.50	

14.00

15.00

	Each	Each per 10	Each per 100
TAXUS cuspidata capitat			•
(An upright varie	ety with	leaves res	embling
those of T. nana		ery slow g	grower.)
$3 \text{-} 3\frac{1}{2}{}'$	9.75		
$3\frac{1}{2}$ -4'	12.00		
6-7'	32.00		
7-8'	39.00		
9-10'	60.00		
T. intermedia (Hybrid - Spreading Type)	Nana)		
*15-18"	4.25	4.00	3.85
$1\frac{1}{2}$ -2'	5.25	5.00	4.75
$\frac{1}{2}$ -2 $\frac{1}{2}$ '	6.75	6.25	6.00
$2\frac{1}{2} - 3'$	9.00		
$\frac{1}{3}$ - $3\frac{1}{2}$ '	14.00		
$3\frac{1}{2}$ -4'	18.00		
$4-4\frac{1}{2}'$	21.00		
$4\frac{1}{2}$ -5'	25.00		
T. media hatfieldi (Hat	field <b>Y</b> ev	v)	
*15-18"	3.75	3.60	3.35
$1\frac{1}{2}$ -2'	4.50	4.25	4.00
$2  ext{-} 2 \frac{1}{2}'$	5.50	5.25	5.00
$2\frac{1}{2}$ -3' Reg.	7.25	6.75	
$2\frac{1}{2}$ -3' Heavy	9.00		
$3-3\frac{1}{2}'$ Reg.	9.75		
$3-3\frac{1}{2}'$ Heavy	12.00		
T. hicksi (Hick's Yew)			
*15-18"	3.75	**3.50	**3.25
$1\frac{1}{2}$ -2'	4.25	4.00	3.75
$2$ - $2\frac{1}{2}'$	5.50	5.00	4.75
$2\frac{1}{2}$ -3' Reg.	7.00	6.50	
3-3½′ Specimens	14.00		
$3\frac{1}{2}-4'$ "	16.75		
6-7' "	34.00		
T. nana brevifolia (Dwa			
$1\frac{1}{2}$ -2'	5.75	5.25	
$2$ - $2\frac{1}{2}$ '	7.75	7.25	
$2\frac{1}{2}$ -3'	12.00		
$3-3\frac{1}{2}'$	16.00		
**T. densiformis			
$1\frac{1}{2}$ -2'	5.25	5.00	4.75
$2$ - $2\frac{1}{2}$	6.75	6.25	6.00
*—Also in New Jersey **—In New Jersey Only			

		o I. O Ito III.	120	21
		Each	Each per 10	Each per 100
THUJA	occidentalis	(American	Arborvita	ve)
$2\frac{1}{2}$ -3'		2.75	2.50	ŕ
3-4'		3.50	3.25	3.00
4-5'		4.50	4.25	4.00
5-6'		5.50		2.00
T. occ. c	compacta and	hoveyi		
	Parson's Arbo	-		
15-18	71	2.25	2.00	1.75
$1\frac{1}{2}$ -2'		2.75	2.50	2.25
$2-2\frac{1}{2}$	,	3.25	3.00	2.75
$2\frac{1}{2}$ -3'		4.00	3.75	3.50
$3-3\frac{1}{2}$	,	5.00	4.50	0.00
$3\frac{1}{2}$ -4'		6.00		
T. occ. n	nigra (Dark A	merican Arl	borvitae)	
$2\frac{1}{2}$ - $3'$		3.00	2.75	2.50
3-4'		3.75	3.50	3.25
4-5'		5.00	4.50	4.25
T. occ. p	licata (Giant	Arborvitae)	)	
$2\frac{1}{2}$ -3'		3.25	3.00	2.75
3-4'		4.00	3.75	3.50
4-5'		5.25	4.75	4.50
5-6'		7.00	6.25	
T. occ. p	yramidalis (	Pyramidal A	Arb.)	
3-4'		3.75	3.50	3.25
4-5'		5.00	4.50	4.25
5-6'		6.00	5.50	
T. occ. ro	senthali (Ros	enthali Arb.)		
$2-2\frac{1}{2}'$		3.25	3.00	
$2\frac{1}{2}$ -3'		4.25	4.00	
3-4'		5.00		
T. occ. w	areana (Sibe	erian Arb.)		
$2-2\frac{1}{2}'$		2.75	2.50	2.25
$2\frac{1}{2}-3'$		3.25	3.00	2.75
3-4'		5.00	4.50	4.00
4-5'		6.50	1.00	1.00
5-6'		8.00		
T. orient:	alis nana au		Riota)	
15-18"		2.50	2.25	2.00
18-24"		$\frac{2.50}{3.00}$	2.75	2.50
$2-2\frac{1}{2}'$		3.75	$\frac{2.75}{3.50}$	$\frac{2.50}{3.25}$
$2\frac{1}{2}$ -3'		$\frac{3.73}{4.50}$	$\frac{3.30}{4.00}$	3.75
$3-3\frac{1}{2}'$		5.50	5.00	0.10
0 0 2		0.00	0.00	


	E l.	Each per 10	Each per 100
TSUGA canadensis (C	Each anadian He		per 100
$1\frac{1}{2}-2'$	3.25	3.00	2.75
$\frac{1}{2}$ $\frac{2}{2}$	3.75	3.50	3.25
$2\frac{1}{2}$ -3'	4.75	4.50	4.25
$3-3\frac{1}{2}$	6.50	6.00	5.50
$3\frac{1}{2}$ -4'	7.50	7.00	6.50
$3\frac{1}{2}$ -4' Heavy	9.00	8.50	
4-5'	10.50	9.50	8.75
4-5' Heavy	12.00	11.00	
5-6' "	16.00	15.00	
ULMUS americana (A	merican El	m)	
$3\frac{1}{2}$ -4" ",	25.00	22.50	
4-5" "	30.00	27.50	
5-6" "	37.00	33.00	
U. pumila (Siberian El	lm)		
$2\frac{1}{2}$ -3" Cal.	16.00		
$3-3\frac{1}{2}"$ ,,	22.00		
$3\frac{1}{2}-4''$ "	27.00		
VIBURNUM burkwood	i		
$2-2\frac{1}{2}'$ B&B	3.75	3.50	
$2\frac{1}{2}$ - $3^{\prime}$	4.75		
V. carlesi & Juddi —	В&В		
$1\frac{1}{2}$ -2'	3.25	3.00	
$2-2\frac{1}{2}$	4.50		
V. lentago (Nanny Ber	rrv)		
2-3'	1.25	1.00	
3-4'	1.50	1.25	
4-5'	1.75		
5-6'	2.25		
6-7'	2.75		
V. opulus (European (	Cranberry I	Bush)	
2-3'	1.25	1.00	
3-4'	1.50	1.25	
4-5'	1.75	1.50	
V. op. sterilis (Commo	n Snowball	D	
2-3'	1.25	1.00	
3-4'	1.50	1.25	
V. rhytidophyllum (Le	eather Leaf	Viburnu	n) B&R
$2-2\frac{1}{2}$	4.00	3.50	
$2\frac{1}{2}$ -3'	5.00	4.50	
$\frac{2}{3}$ $\frac{3}{2}$	6.25	2.00	
0 0 2			

DULI	S NURSERI	E2	23
VIBURNUM theifer	Each	Each per 10	Each per 100
2-3'	1.50		
3-4'		1.25	
5-4	2.25	2.00	
V. tomentosum (Do	uble File Vib	urnum)	
2-3' Heavy	1.25	1.00	
3-4'	1.50	1.25	
5-6'	2.25	2.00	
6-7'	3.25	3.00	
7-8'	4.50		
WEIGELIA nana var	iegata ( <b>Vari</b> e	gated Fol	iage)
2-3'	1.25	1.00	
3-4'	1.50	1.25	
W. rosea			
2-3'	.90	.75	
3-4'	1.00	.90	
4-5'	1.25	1.00	
W. vaniceki			
2-3'	1.00	.80	
3-4'	1.25	1.00	
*4-5'	1.50	1.25	
5-6'	1.75		
WISTERIA chiensis			
3-Yr. Grafts	2.00	1.75	
8-9-Yr. Grafts	9.00 to 14.	00	

LINING OUT STOCK	
Large Quality Liners	
	Each per 100
AZALEA amoena (Purple-Red)	
2-3 Yrs. — Heavy 8-12″	.70
A. kaempferi fedora (Pink)	
2-3 Yrs. — Heavy 8-12″	.75
A. ledifolia alba (White)	
2-3 Yrs. — Heavy 8-12"	.75
A. hinodegiri (Red)	
2-3 Yrs. — Heavy 8-12"	.85
(Continued on Next Page)	

## LINING OUT STOCK Large Quality Liners

,	~~~~~	~~~~
LINING OUT STOCK		
Large Quality Liners		
(Continued from Page 23)		
	Each per 100	Each per 1000
TAXUS cusp. capitata		
Twice transplanted — grown in field rows		
from excellent cuttings.		
8-10"	.50	.45
10-12′′	.65	.60
12-18′′	.75	.70
{		



## BULK'S NURSERIES

BABYLON, NEW YORK

Telephone MOhawk 9-4400